Animal Genetics 1989, **20**, 429-432

Author Index

Alestrom P., *see* Rogne S.
Alitalo K.: Nuclear oncoproteins and oncogenes, 347
Amoss M.S., *see* Tossot R.G.
Andersson-Eklund L., Andersson L. & Sandberg K.: Association between serumesterase (*Es*) type and starting proportion in Swedish Trotters: further observations, 93
Andersson L., *see* Andersson-Eklund L.
Antczak D., *see* Bull R.W.
Archibald A.L.: Progress on the halothane gene in pig, 332
Arnold I.C.J. & Bouw J.: A new allele of glucose phosphate isomerase in dogs, 217
Auffray C., *see* Warner C.
Ax R.L., *see* Cowan C.M.

Baker J.F., *see* Theilmann J.L.
Beattie C.W., *see* Tissot R.G.
Beckmann J.S., *see* Fries R.
Beever J.E., *see* Teutsch M.R.
Bellows R.A., *see* Stear M.J.
Bensaid A., Kaushal A., MacHugh N.D., Shapiro S.Z. & Teale J.: Biochemical characterization of activation-associated bovine class I major histocompatibility complex antigens, 241
Bernoco D. & Lewin H.A.: Genetic aspects of bovine leukaemia virus infection and disease progression, 337
see also Bull R.W.
Bobak P., *see* Stratil A.
Bourlet Y., *see* Warner C.
Bouw J., *see* Arnold I.C.J.
Bowling A.T., *see* Juneja R.K.
Brega A., *see* Santachiara A.D.
Briles R.W., *see* Dunnington E.A.
see also Martin A.
Briles W.E., *see* Dunnington E.A.
see also Martin A.
Brown P., *see* Oliver R.A.
Brown W.C., *see* Howard C.J.
Bull R.W. *et al.*: Joint Report of the Third International Bovine Lymphocyte Antigen (BoLA) Workshop, Helsinki, Finland, 27 July 1986, 109

Cahaner A., *see* Hillel J.
Christian L.L., *see* Jung Y.C.
Clark A.J.: Transgenic animals and the manipulation of milk composition, 327
Clarke S.W., Tucker E.M. & Osterhoff D.R.: Blood groups and biochemical polymorphism in the Namaqua sheep breed, 279
Clegg J.B.: Molecular genetics of mammalian haemoglobins, 345
Comoglio P.M.: Growth factor receptors and class I oncogenes in cancer, 348
Cowan C.M., Dentine M.R., Ax R.L. & Schuler L.A.: Restriction fragment length polymorphisms associated with growth hormone and prolactin genes in Holstein bulls: evidence for a novel growth hormone allele, 157
Curty-Hanni K. *see* Hesford F.
Cwik S., *see* Bull R.W.

Dam L., *see* Bull R.W.
Davies C., *see* Bull R.W.
Dawkins R.L., *see* Bull R.W.
Denis B., *see* Tucker E.M.
Dentine M.R., *see* Cowan C.M.
Dijkhof R.J.M., *see* Groenen M.A.M.
Dufty J.H., *see* Bull R.W.
Dunnington E.A., Martin A., Briles R.W., Briles W.E., Gross W.B. & Siegel P.B.: Antibody responses to sheep erythrocytes for White Leghorn chickens differing in haplotypes of the major histocompatibility complex (B), 213
see also Martin A.

Ehnholm C., *see* Juneja R.K.
Erhardt G.: Evidence for a third allele at the β-lactoglobulin (β-Lg) locus of sheep milk and its occurrence in different breeds, 197

Ferguson-Smith M.A.: Mapping human disease-associated genes, 332
Flanagan M.P., *see* Jung Y.C.
Fries R., Beckmann J.S., Georges M., Soller M. & Womack J.: The bovine gene map, 1

Gahne B., *see* Juneja R.K.
Georges M., *see* Fries R.
see also Hilbert P.
Gerber H., *see* Hesford F.
Gerlach J., *see* Bull R.W.
Giphart M.J., *see* Cowan C.M.
Grendt B., *see* Warner C.
Groenen M.A.M., van der Poel J.J., Dijkhof R.J.M. & Giphart M.J.: Cloning of the bovine major histocompatibility complex class II genes, 267
Glasnak V., *see* Stratil A.
Gonzalez P., *see* Tuñon M.J.
Gross W.B., *see* Dunnington E.A.

Haberfeld A., *see* Hillel J.
Hanset R., *see* Hilbert P.
Hayashi K., *see* Tanabe H.
Herzog S.: Genetic polymorphism of transferrin in fallow deer, *Cervus dama* L., 421
Hesford F., Lazary S., Curty-Hanni K. & Gerber H.: Biochemical evidence that equine leucocyte

antigens W13, W22 and W23 are present on horse major histocompatibility complex class II molecules, 415
Hilbert P., Marcotte A., Schwers A., Hanset R., Vassart G. & Georges M.: Analysis of genetic variation in the Belgian Blue Cattle breed using DNA sequence polymorphism at the growth hormone, low density lipoprotein receptor, α-subunit of glycoprotein hormones and thyroglobulin loci, 383
Hillel J., Plotzy Y., Haberfield A., Lavi U., Cahaner A. & Jeffreys A.J.: DNA fingerprints of poultry, 145
Hines H.C. *see* Bull R.W.
see also Park C.A.
Hojny J., *see* Kuryl J.
Horin P., *see* Matousek J.
Howard C.J., Morrison W.I., Brown W.C., Naessens J. & Sopp P.: Demonstration of two allelic forms of the bovine T cell antigen Bo5 (CD5) and studies of their inheritance, 351
Hradecky J., *see* Kuryl J.

Ito S., *see* Tanabe H.

Jeffreys A.J., *see* Hillel J.
Jia F., *see* O'Mahony D.J.
Joosten I., *see* Oliver R.A.
Juneja R.K., Gahne B., Lukka M. & Ehnholm C.: A previously reported polymorphic plasma protein of dogs and horses, identified as apolipoprotein A-IV, 59
Juneja R.K., Kuryl J., Gahne B. & Zurowski M.: Linkage between the loci for transferrin and ceruloplasmin in pigs, 307
Juneja R.K., Penedo M.C.T., Larsson H.E.B., Gahne B. & Bowling A.T.: Two-dimensional electrophoresis of the plasma proteins of alpacas and llamas: genetic polymorphism of α_1B-glycoprotein and three other proteins, 395
Juneja R.K., Sandberg K., Kuryl J. & Gahne B.: Genetic polymorphism of horse serum protein 3 (SP3), 43
see also Penedo M.C.T.
Jung Y.C., Rothschild M.F., Flanagan M.P., Christian L.L. & Warner C.M.: Association of restriction fragment length polymorphisms of swine leucocyte antigen class I genes with production traits of Duroc and Hampshire boars, 79

Kalab P. & Stratil A.: Phenotyping of pig α_1 B-glycoprotein (PO2) and haemopexin by 1D polyacrylamide electrophoresis and immunoblotting, 295
Kaushal A., *see* Bensaid A.
Kennedy B.W., *see* Lacey C.
see also Mallard B.A.
Kilgour L., *see* Tucker E.M.
Kimura M.: Genetic variability in a population of wild Japanese quail kept for 15 years in a domestic environment, 101
Kuryl J., Zurbowski M., Hojny J. & Hradecky J.: Plasma α-protease inhibitors in Norwegian Landrace and Czech Landrace pigs, 299
see also Juneja R.K.

Lacey C., Wilkie B.N., Kennedy B.W. & Mallard B.A.: Genetic and other effects on bacterial phagocytosis and killing by cultured peripheral blood monocytes of SLA-defined miniature pigs, 371
Lamont S., *see* Warner C.
Langsrud T., *see* Rogne S.
Larsson H.E.B., *see* Juneja R.K.
Lavi U., *see* Hillel J.
Lazary S., *see* Bull R.W.
see also Hesford F.
Leibold W., *see* Bull R.W.
Leveziel H., *see* Bull R.W.
Lewin H.A., *see* Bernoco D.
see also Bull R.W.
see also Teutsch M.R.
Lie O., *see* Bull R.W.
Lien S., *see* Rogne S.
Lindberg P.G., *see* Bull R.W.
Louda F., *see* Matousek J.
Lukka M., *see* Juneja R.K.

McConnell D.J., *see* O'Mahony D.J.
MacHugh, N.D., *see* Bensaid A.
Mallard B.A., Wilkie B.N. & Kennedy B.W.: Genetic and other effects on antibody and cell mediated immune response in swine leucocyte antigen (SLA)-defined miniature pigs, 167
see also Lacey C.
Marcotte A., *see* Hilbert P.
Margetin M., *see* Stratil A.
Martin A., Dunnington E.A., Briles W.E., Briles R.W. & Siegel P.B.: Marek's disease and major histocompatibility complex haplotypes in chickens selected for high and low antibody response, 407
Martin A., *see also* Dunnington E.A.
Matousek J., Srsen V., Siman M., Horin P. & Louda F.: Absence of BoLA class I antigens on bovine spermatozoa, 65
Meggiolaro D., *see* Bull R.W.
Meyer E., *see* Bull R.W.
Morrison I.: MHC restriction and cytotoxic T cells in East Coast fever, 340
Morrison W.I., *see* Howard C.J.
Muggli-Cockett N.E. & Stone R.T.: Partial nucleotide sequence of a bovine major histocompatibility class II DRβ-like gene, 361

Naessens J., *see* Howard C.J.
Nesse L.L., & Ruff G.: A comparison of lymphocyte antigen specificities in Norwegian and Swiss goats, 71

Nicholas F.W., *see* Stear M.J.
Nordskog A., *see* Warner C.

Ogawa N., *see* Tanabe H.
Oliver R., *see* Bull R.W.
Oliver R.A., Brown P., Spooner R.L., Joosten I. & Williams J.L.: The analyses of antigen and DNA polymorphism within the bovine major histocompatibility complex: 1. The class I antigens, 31
O'Mahony D.J., Wang H., McConnell D.J., Jia F., Xia L. & Qi S.: Polymorphism in porcine somatotropin cDNA sequences, 313
Osterhoff D.R., *see* Clarke S.W.

Park C.A., Hines H.C. & Threlfall W.R.: Equine lymphocyte antigens and reproduction in the Standardbred mare, 99
Penedo M.C.T. & Juneja R.K.: Polymorphic plasma postalbumin (Po) of llamas and alpacas identified as Gc protein, 221
Penedo M.C.T., *see also* Juneja R.K.
Peterbaugh K., *see* Bull R.W.
Plotzy Y., *see* Hillel J.

Qi S., *see* O'Mahony D.J.

Righetti P.G.: Isoelectric focusing in immobilized pH gradients in studies of biochemical polymorphism, 343
Rogne S., Lien S., Vegarud G., Steine T., Langsrud T. & Alestrom P.: A method for κ-casein genotyping of bulls, 317
Ross M., *see* Bull R.W.
Rossini M.: The use of transgenic mice in studies of MHC and immune response, 328
Rothschild M.F., *see* Jung Y.C.
Ruff G., *see* Nesse L.L.

Sandberg K., *see* Andersson-Eklund L.
see also Juneja R.K.
Santachiara A.S., Torroni A., Semino O. & Brega A.: Mitochondrial DNA as a genetic marker in human populations, 346
Schook L.B., *see* Teutsch M.R.
Schuler L.A., *see* Cowan C.M.
Schwers A., *see* Hilbert P.
Semino O., *see* Santachiara A.S.
Shapiro S.Z., *see* Bensaid A.
Siegel P.B., *see* Dunnington E.A.
see also Martin A.
Siman M., *see* Matousek J.
Simon M., *see* Bull R.W.
Skow L.C., *see* Theilmann J.L.
Soller M., *see* Fries R.
Sopp P., *see* Howard C.J.
Spooner R.L., *see* Bull R.W.
see also Oliver R.A.
Spradbrow P.B., *see* Stear M.J.
Srsen V., *see* Matousek J.
Stear M.J., Spradbrow P.B., Tierney T.J., Nicholas F.W. & Bellows R.A.: Failure to find an association between ocular squamous cell carcinoma and class I antigens of the bovine histocompatibility system, 233
Stear M.J., *see also* Bull R.W.
Steine T., *see* Rogne S.
Stewart J.A., *see* Teutsch M.R.
Stone R.T., *see* Muggli-Cockett N.E.
Stratil A., Bobak P., Margetin M. & Glasnak V.: Additional studies of sheep haemopexin: genetic control, frequencies and postnatal development, 187
see also Kalab P.

Tanabe, H., Ogawa N., Hayashi K., Ito S. & Tanabe Y.: Genetic variants of phosvitin in egg yolk of the Japanese quail, *Coturnix coturnix japonica*, 287
Tanabe Y., *see* Tanabe H.
Teale A.J., *see* Bull R.W.
Teale J., *see* Bensaid A.
Templeton J.W. *see* Bull R.W.
Teutsch M.R., Beever J.E., Stewart J.A., Schook L.B. & Lewin H.A.: Linkage of complement factor B gene to the bovine major histocompatibility complex, 427
Theilmann J.L., Skow L.C., Baker J.F. & Womack J.E.: Restriction fragment length polymorphisms for growth hormone, prolactin, osteonectin, α crystallin, γ crystallin, fibronectin and 21-steroid hydroxylase in cattle, 257
Threlfall W.R., *see* Park C.A.
Tierney T.J., *see* Stear M.J.
Tissot R.G., Beattie C.W. & Amoss M.S. Jr: The swine leucocyte antigen (SLA) complex and Sinclair swine cutaneous malignant melanoma, 51
Torroni A., *see* Santachiara A.S.
Trowsdale J.: Molecular genetics of the human HLA complex, including evolutionary aspects, 335
Tucker E.M., Denis B. & Kilgours L.: Blood genetic marker studies of a sheep–goat hybrid and its back-cross offspring, 179
see also Clarke S.W.
Tuñon M.J., Gonzalez P. & Vallejo M.: Genetic relationships between 14 native Spanish breeds of goat, 205

Vallejo M., *see* Tuñon M.J.
van der Poel J.J., *see* Cowan C.M.
Vassart G., *see* Hilbert P.
Vegarud G., *see* Rogne S.

Wang H., *see* O'Mahony D.J.
Warner C.M., Gerndt B., Xu Y., Bourlet Y., Auffray C., Lamont S. & Nordskog A.: Restriction fragment length polymorphism analysis of major histocompatibility complex class II genes from inbred chicken lines, 225
see also Jung Y.C.

Wall R.J.: Use of transgenic animals in livestock improvement, 325
Wilkie B.N., *see* Lacey C.
see also Mallard B.A.
Williams J.L., *see* Oliver R.A.
Womack J., *see* Fries R.
Womack J.E.: Strategies for the development of a bovine gene map, 330
see also Theilmann J.L.
Wu M.C., *see* Bull R.W.

Xia L., *see* O'Mahony D.J.
Xu Y., *see* Warner C.

Zurowski M., *see* Juneja R.K.
see also Kuryl J.

Animal Genetics 1989, **20,** 433-435

Subject Index

Activation molecules, BoLA, 241
Allele:
  Bo5, 351
  glucose phosphate isomerase, 217
  growth hormone, 157
  lactoglobulin, 197
  multiple, somatotropin, 313
Alpaca:
  glycoprotein, 395
  postalbumin, 221
Antibody:
  low response, 407
  monoclonal, 241, 351
  SLA, pig, 167
  titres, 213
Antigen:
  Bo5, 351
  BoLA, 31, 65, 109, 233
  class I, 31, 241
  class II, 267, 361
  complement factor B, 427
  leucocyte, 51, 79, 415
  lymphocyte, goat, 71, horse, 99
  specificities, 71
  T cell, 351
Apolipoprotein, A-IV, 59

Blood group:
  biochemical polymorphism, 279
  hybrid, sheep/goat, 179
  markers, goat, 205
BoLA:
  class I, 31, 133
  class II, 267

Cancer, oncogenes, 348
Carcinoma, BoLA, 233
Cattle:
  biochemical variation, 383
  Bo5 alleles, 351
  BoLA class I, 31, 109, 241
  casein, 317
  cloning, MHC, 267
  complement factor B, 427
  gene map, 3, 330
  genotyping, 317
  growth hormone allele, 157
  leukaemia virus, 337
  MHC, 361
  RFLP, 257
  spermatozoa, 65
Ceruloplasmin, linkage, 307
Cervus dama, transferrin, 421
Cheese, quality, 317

Chicken:
  antibody response, 213
  DNA fingerprints, 145
  MHC, 225, 407
  RFLP, 225
Cloning, BoLA, 267
Complement factor B gene, 427
Coturnix coturnix japonica, 101, 287
Crystallin, 257

Deer, transferrin polymorphism, 421
Development, postnatal, 187
Differentiation, transferrin, 421
Disease, genetics, 335, 337, 340
DNA:
  cattle RFLP, 257
  fingerprints, poultry, 145
  mitochondrial, 346
  polymorphism BoLA, 31
  sequence polymorphism, 383
  somatotropin, pig, 313
Dog:
  glucose phosphate isomerase, 217
plasma protein, 59
Duck, DNA fingerprints, 145

ELA, 99
Electrophoresis:
  polyacrylamide gel, 197, 295
  Starch-gel, 187, 217
  2D, 43, 299, 395
ELISA, sandwich, 241
Erythrocytes, sheep, 213
Evolution, human HLA, 335
Eye, carcinoma, 233

Fibronectin, RFLP, 257
Fingerprints, DNA, 145

Gene:
  cloning BoLA, 267
  disease associated, 332
  frequency, horse, 43
  halothane, 332
  mapping, 3, 330, 332
  sequence, 361
Genotyping, casein, 317
Glucose phosphate isomerase, dog, 217
Glycoprotein:
  alpaca, 395
  cattle, 383
  llama, 395
  pig, 295
Goat:

blood markers, 205
hybrid with sheep, 179
lymphocyte antigens, 71
Growth factor, oncogenes, 348
Growth hormone, allele, cattle, 157, 383

Haemoglobin, molecular genetics, 345
Haemopexin, pig, 295
Hormone, growth, cattle, 157, 257, 383
Horse:
leucocyte antigens, 415
lymphocyte antigens, 99
plasma protein, 59
serum protein, 43
serumesterase, 93
Human:
disease associated genes, 332
HLA, evolution, 335
Hybrid, blood group marker, 179
Hydroxylase, 21-steroid, 257

IEF, antigens, 31
Immune response:
mice, 328
pig, 167
Immunoblotting, 59, 221, 295, 395
Immunoelectrophoresis, 187
Immunoprecipitations, 241, 415
Improvement, livestock, 325
Inhibitors, α-protease, 299
Isoelectric focusing, 197, 217, 343

Lactoglobulin, locus, sheep, 197
Leucocyte, antigens, pig, 51, 79, 167
Leukaemia virus, 337
Linkage:
ceruloplasmin, 307
factor B gene, 427
α-protease inhibitors, 299
transferrin, 307
Lipoprotein, variation, 383
Livestock, improvement, 325
Llama:
glycoprotein, 395
postalbumin, 221
Lymphocyte, antigens:
cow, 31, 65, 109, 427
goat, 71
horse 99, 415

Mapping, gene, 330, 332
Marek's disease, MHC, 407
Marker, genetic:
cattle, 157, 427
goat, 179, 205
mitochondrial DNA, 346
sheep, 179
Melanoma, SLA, 51
MHC:
cattle, 31, 109, 233, 241, 267, 361, 427
chicken, 213, 225, 407
goat, 71
horse, 99, 415
mice, 328
pig, 79, 167, 371
restriction, 340
Mice, transgenic, 328
Milk:
sheep, lactoglobulin locus, 197
transgenic animals, 327
Mitochondria, DNA, 346
Molecular, genetics, 335, 343, 345
Monocyte, killing, 371

Nucleotide, sequence MHC, 361

Oncogenes, 347, 348
Oncoprotein, nuclear, 347
Osteonectin, RFLP, 257

Phagocytosis, genetic effects, 371
Phosphoprotein, quail, 287
Phosvitin, yolk, 287
Pig:
ceruloplasmin, 307
glycoprotein, 295
haemopexin, 295
halothane gene, 332
leucocyte antigen, 51, 79, 157
phagocytosis, 371
protease inhibitors, 299
somatotropin, 313
transferrin, 307
Plasma:
polymorphic, 59
protein, 299, 395
Polymorphism:
biochemical, 93, 205, 279, 343, 383
cattle, 257, 383
deer, 421
DNA, BoLA, 31
dog, 59, 217
goat, 205
glycoprotein, 395
horse, 43, 59, 93
lactoglobulin, 197
molecular, 343
phosvitin, 287
postalbumin, 221
sheep, 187, 197
somatotropin, 313
Poultry, DNA fingerprints, 145

Production, traits, pig, 79
Prolactin, cattle, 157, 257
Protease, inhibitors, 299
Protein:
  apolipo, 59
  plasma, 221, 395
  serum, 43

Quail, Japanese:
  genetic variability, 101
  phosvitin, 287

Receptor:
  growth factor, 348
  lipoprotein, variation, 383
RFLP:
  cattle, 31, 157, 257
  chicken, 225
  pig, 79

Sequence, nucleotide, MHC, 361
Serology, cattle, 31
Serum, proteins, 43
Serumesterase, horse, 93
Sheep:
  blood groups, 279
  erythrocytes, 213
  haemopexin, 187
  hybrid with goat, 170
  lactoglobulin, 197
Skin, melanoma, 51
SLA:
  immune response, 167
  melanoma, 51
  monocytes, 371
Somatotropin, polymorphism, 313
Spermatozoa, BoLA absence, 65

T cells, MHC restriction, 340
Thyroglobulin, variation, 383
Transferrin:
  linkage, 307
  polymorphism, 421
Transgenic, animals, 325, 327, 328
Turkey, DNA fingerprints, 145

Variability, quail, 105
Variation, cattle biochemistry, 383

Yolk, phosvitin, 287